

# Actualités pharmaceutiques dans les infections ostéo-articulaires : antibiothérapie et phagothérapie

Pr. Tristan Ferry

[tristan.ferry@univ-lyon1.fr](mailto:tristan.ferry@univ-lyon1.fr)

Infectious and Tropical Diseases Unit  
Croix-Rousse Hospital , Hospices Civils de Lyon  
Claude Bernard Lyon1 University, Lyon


Centre International de Recherche en Infectiologie, CIRI, Inserm U1111, CNRS  
UMR5308, ENS de Lyon, UCBL1, Lyon, France

Centre de Référence des IOA complexes de Lyon (CRIOAc Lyon)





# Chronic bone and joint infection

- One of the most difficult-to-treat ID
- Bacterial mechanisms of persistence
- Sequestrum in chronic osteomyelitis
- Implant surface (osteosynthesis, prosthesis)



# Chronic bone and joint infection

- One of the most difficult-to-treat ID
- Bacterial mechanisms of persistence
- Sequestrum in chronic osteomyelitis
- Implant surface (osteosynthesis, prosthesis)



# Personalized medicine for BJI



# Personalized medicine for BJI



**OPTIMAL  
SEPTIC  
SURGERY**

# Personalized medicine for BJI

**OPTIMAL  
SEPTIC  
SURGERY**

**TARGETED AND  
OPTIMAL  
ANTIMICROBIAL  
THERAPY**

# Personalized medicine for BJI

PRO

VS.

CON

OPTIMAL  
SEPTIC  
SURGERY

TARGETED AND  
OPTIMAL  
ANTIMICROBIAL  
THERAPY

# Personalized medicine for BJI

PRO

VS.

CON

OPTIMAL  
SEPTIC  
SURGERY

TARGETED AND  
OPTIMAL  
ANTIMICROBIAL  
THERAPY





# Personalized medicine for BJI

PRO

VS.

CON

OPTIMAL  
SEPTIC  
SURGERY

TARGETED AND  
OPTIMAL  
ANTIMICROBIAL  
THERAPY



# Personalized medicine for BJI

## MULTIDISCIPLINAR MEETING

THE BEST INDIVIDUALIZED MEDICOSURGICAL STRATEGY

PRO

VS.

CON

OPTIMAL  
SEPTIC  
SURGERY


TARGETED AND  
OPTIMAL  
ANTIMICROBIAL  
THERAPY






## Réseau des CRIOAc Mandat 2017-2022







**STAPHYLOCOQUES**  
Centre National de Référence




**USB** Lyon







**IAIQ**  
**EBPN**




**HCL**  
HOSPICES CIVILS  
DE LYON



**Inserm**



**CRB**  
Centre de Ressources **Biologiques**



**ciri**  
Centre  
International  
de Recherche  
en Infectiologie



autres correspondants



Réseau des CRIOAc  
Mandat 2017-2022



**Pr. Tristan Ferry**  
MD, PhD  
Infectiologist

**Pr. Sébastien Lustig**  
MD, PhD  
Orthopaedic surgeon

**Pr. Frédéric Laurent**  
PharmD, PhD  
Microbiologist

**STAPHYLOCOQUES**  
Centre National de Référence

**USB** Lyon

**IAI**  
**EBPN**


**Inserm**

**CRB**  
Centre de Ressources Biologiques

**ciri**  
Centre International de Recherche en Infectiologie

**HCL**  
HOSPICES CIVILS DE LYON





## Protheseninfekte

### Brauchen wir spezielle Revisionszentren für Protheseninfekte nach dem Vorbild Frankreichs?

**BERLIN** Periprothetische Infektionen sind eine der schwerwiegendsten Komplikationen in der Endprothetik mit nachhaltigen Auswirkungen für den Patienten, das behandelnde Team und das Gesundheitssystem. Einen relevanten Einfluss auf den Therapieerfolg haben unter anderem die Wahl eines adäquaten Therapiekonzeptes, die Expertise des behandelnden Teams und die Gegebenheiten der Klinik.

**Anfrage mit PPI-Fall durch externe Klinik**

**Staatliche Referenzzentren für Muskuloskeletale Infektionen (CRIOAc)**  
→ interdisziplinäre Diskussion und Entscheidung im Medical board (jährlich Turnorkonferenz)

**Behandlung an anfragender Klinik möglich**

**Gesundheitssystem**

Zusätzlich werden in die Behandlung auch Radiologen, Anästhesisten, Rheumatologen und Physiotherapeuten mit einbezogen.

Michael Müller

Neben der Behandlung von Komplexen ist eine weitere Aufgabe...


Ab 2011 wurden in Frankreich zur Unterstützung der Referenzzentren...

**Do we need special centers for prosthesis infections based on the French model?**

- ◆ 2019
- ◆ 2018
- ◆ 2017
- ◆ 2016
- ◆ 2015



# MULTIDISCIPLINAR MEETING



# MULTIDISCIPLINAR MEETING

**Medical innovations to maintain the function in patients with chronic PJI for whom explantation is not desirable: a pathophysiology-, multidisciplinary-, and experience-based approach**

T. Ferry *SICOT-J* 2020, 6, 26

I think I have to find a suppressive antibiotic, as it is a big revision prosthesis without any mechanical problem!



Académie nationale de **Chirurgie**



# Suppressive antimicrobial therapy

Consensus document

2017



Management of prosthetic joint infections. Clinical practice guidelines by the Spanish Society of Infectious Diseases and Clinical Microbiology (SEIMC)

Some patients may be considered **unsuitable for implant removal**, either because they present with **too many baseline conditions**, or because a **poor functional outcome is foreseen**. In these patients, prolonged or **indefinite antimicrobial therapy aiming to control the infection may be considered**. This strategy is known as **SAT (suppressive antimicrobial therapy)**.

# Suppressive antimicrobial therapy

Diagnosis and Management of Prosthetic Joint Infection: Clinical Practice Guidelines by the Infectious Diseases Society of America<sup>a</sup>

2013 



Douglas R. Osmon,<sup>1</sup> Elie F. Berbari,<sup>1</sup> Anthony R. Berendt,<sup>2</sup> Daniel Lew,<sup>3</sup> Werner Zimmerli,<sup>4</sup> James M. Steckelberg,<sup>1</sup> Nalini Rao,<sup>5,6</sup> Arlen Hanssen,<sup>7</sup> and Walter R. Wilson<sup>1</sup>

**Table 3. Common Antimicrobials Used for Chronic Oral Antimicrobial Suppression (B-III Unless Otherwise Stated in Text)<sup>a,b</sup>**

Microorganism	Preferred Treatment	Alternative Treatment
Staphylococci, oxacillin-susceptible	Cephalexin 500 mg PO tid or qid or Cefadroxil 500 mg PO bid	Dicloxacillin 500 mg PO tid or qid Clindamycin 300 mg PO bid
Staphylococci, oxacillin-resistant	Cotrimoxazole 1 DS tab PO bid Minocycline or doxycycline 100 mg PO bid	
$\beta$ -hemolytic streptococci	Penicillin V 500 mg PO bid to qid or Amoxicillin 500 mg PO tid	Cephalexin 500 mg PO tid or qid
<i>Pseudomonas aeruginosa</i>	Ciprofloxacin 250–500 mg PO bid	
Enterobacteriaceae	Cotrimoxazole 1 DS tab PO bid	$\beta$ -lactam oral therapy based on in vitro susceptibilities
<i>Propionibacterium</i> spp	Penicillin V 500 mg PO bid to qid or Amoxicillin 500 mg PO tid	Cephalexin 500 mg PO tid or qid Minocycline or doxycycline 100 mg PO bid

**Beta-lactam, clindamycin, cotrimoxazole, tetracycline**

# Clinical case #1

**71-year-old man**

Vitiligo, myocardial disease

**Chronic relapsing PJI**  
(resection prosthesis)

**Puncture: *S. epidermidis***  
only susceptible to vancomycine,  
daptomycine, linézolide

X-ray: asymptomatic partial  
tibial loosening

**Clinical status: fistula, walk  
without help and without  
pain**



Ferry T. et al.

Open Forum Infectious Diseases 2018

# Clinical case #1

PRO

VS.

CON

**'DAIR'**

Debridement  
Antibiotics and  
Implant Retention

+

**Primary ATBx**  
then  
**SAT**

**Linezolid**  
then  
**Tedizolid**

1 pill/day


Long acting  
Antibiotic  
**Dalbavancin**

1 injection/month



Ferry T. et al.

Open Forum Infectious Diseases 2018



**Figure 1.** Hemoglobin during time, with continuous decrease under linezolid therapy, followed by a continuous increase after the switch to tedizolid.

# Clinical case #1

**71-year-old man**

Vitiligo, myocardial disease

**Chronic relapsing PJI**  
(resection prosthesis)

**Puncture**

only susceptible  
daptomycin,

**Favorable outcome  
at 3 years**

X-ray: asymptomatic partial  
tibial loosening

**Clinical status: fistula, walk  
without help and without  
pain**



Ferry T. et al.

Open Forum Infectious Diseases 2018

# Clinical case #1

**71-year-old man**

Vitiligo, myocardial disease


**Chronic relapsing PJI**  
(resection prosthesis)

**Puncture**  
only susceptible  
daptomycin,

**Favorable outcome  
at 3 years**

X-ray: asymptomatic partial  
tibial loosening

**Clinical status: fistula, walk  
without help and without  
pain**



Ferry T. et al.

Open Forum Infectious Diseases 2018

# Subcutaneous suppressive antibiotic therapy for bone and joint infections: safety and outcome in a cohort of 10 patients

Cécile Poudereux<sup>1-3\*</sup>, Agathe Becker<sup>2-3</sup>, Sylvain Goutelle<sup>2-4</sup>, Sébastien Lustig<sup>2,3,5</sup>, Claire Triffault-Fillit<sup>1-3</sup>, Fatima Daoud<sup>1,3</sup>, Michel Henry Fessy<sup>2,3,6</sup>, Sabine Cohen<sup>2,7</sup>, Frédéric Laurent<sup>2,3,8,9</sup>, Christian Chidiac<sup>1-3</sup>, Florent Valour<sup>1-3,9</sup> and Tristan Ferry<sup>1,3,9</sup> on behalf of the Lyon Bone and Joint Infection

Journal of Antimicrobial Chemotherapy

## Clinical case #2

78 y.o.  
Relapsing PJI  
MDR *E. Cloacae*  
Iterative DAIR  
Bacterial persistence  
Long stem  
No loosening

Ertapenem  
**SC**  
administration





# Subcutaneous suppressive antibiotic therapy for bone and joint infections: safety and outcome in a cohort of 10 patients

Journal of Antimicrobial Chemotherapy

Cécile Poudereux<sup>1-3\*</sup>, Agathe Becker<sup>2-3</sup>, Sylvain Goutelle<sup>2-4</sup>, Sébastien Lustig<sup>2,3,5</sup>, Claire Triffault-Fillit<sup>1-3</sup>, Fatima Daoud<sup>1,3</sup>, Michel Henry Fessy<sup>2,3,6</sup>, Sabine Cohen<sup>2,7</sup>, Frédéric Laurent<sup>2,3,8,9</sup>, Christian Chidiac<sup>1-3</sup>, Florent Valour<sup>1-3,9</sup> and Tristan Ferry<sup>1,3,9</sup> on behalf of the Lyon Bone and Joint Infection

## Clinical case #2

78 y.o.  
Relapsing PJI  
MDR *E. Cloacae*  
Iterative DAIR  
Bacterial persistence  
Long stem  
No loosening

Ertapenem  
**SC**  
administration




**Favorable outcome at 3 years**

**PK-based suppressive therapy SC injection each 48h**

T. Ferry JAC 2019 & SICOT-J 2020


## Outpatient SubCutaneous Antimicrobial Therapy (OSCAT) as a Measure to Improve the Quality and Efficiency of Healthcare Delivery for Patients with Serious Bacterial Infections

Tristan Ferry,<sup>1,2,3,4</sup> Thomas P. Lodise,<sup>5</sup> Jason Gallagher,<sup>6</sup> Emmanuel Forestier,<sup>7</sup> Sylvain Goutelle,<sup>8,9</sup> Vincent H. Tam,<sup>10</sup> John F. Mohr, III,<sup>11</sup> Claire Roubaud-Baudron<sup>12,13</sup>



# Cost of off-label antibiotic therapy for bone and joint infections: a six-year prospective monocentric observational cohort study in a referral centre for management of complex osteo-articular infections (CRIOAc)


Truong-Thanh Pham<sup>1,2,3</sup>, Eugénie Mabrut<sup>2</sup>, Philippe Cochard<sup>4</sup>, Pierre Chardon<sup>5</sup>, Hassan. Serrier<sup>6,7</sup>, Florent Valour<sup>1,2,8</sup>, Laure Huot<sup>7</sup>, Michel Tod<sup>9</sup>, Gilles Leboucher<sup>9</sup>, Christian Chidiac<sup>1,2,8</sup>, Tristan Ferry<sup>1,2,8</sup> on behalf of the Lyon BJI study group



**Old expensive ATB treatment (ET)**  
ceftaroline, ertapenem, daptomycin, colistin, tigecycline and linezolid


**New expensive ATB treatment (ET)**  
ceftobiprole, ceftazidime-avibactam, ceftolozane-tazobactam, dalbavancin and tedizolid

# Cost of off-label antibiotic therapy for bone and joint infections: a six-year prospective monocentric observational cohort study in a referral centre for management of complex osteo-articular infections (CRIOAc)



*Unpublished*

# Cost of off-label antibiotic therapy for bone and joint infections: a six-year prospective monocentric observational cohort study in a referral centre for management of complex osteo-articular infections (CRIOAc)



# Cost of off-label antibiotic therapy for bone and joint infections: a six-year prospective monocentric observational cohort study in a referral centre for management of complex osteo-articular infections (CRIOAc)



**7,994,459 inhabitants**

**€1,129,862/year**



**68,014,000 inhabitants**

**€9,612,462/year**

# Personalized medicine for BJI

**OPTIMAL  
SEPTIC  
SURGERY**

**TARGETED AND  
OPTIMAL  
ANTIMICROBIAL  
THERAPY**

**MULTIDISCIPLINAR MEETING**

# Personalized medicine for BJI

Antibiotic-loaded  
PMMA cements

**ADJUVANT**

Bacteriophages

Bacteriophage-  
derived lysins

New antibiotics  
targeting the biofilm

**Antibiotic-  
loaded bone  
substitutes**

**INNOVATIVE ANTI-  
INFECTIVE AGENTS**

**OPTIMAL  
SEPTIC  
SURGERY**

**TARGETED AND  
OPTIMAL  
ANTIMICROBIAL  
THERAPY**

**MULTIDISCIPLINAR MEETING**



# The following case brings up to date the concept of local antibiotherapy

## **BJI = local infection**

Legitimate to want to act locally

von Eiff C. et al.  
*Clin Infect Dis.* 1997



- Gentamicin beads
- Non-optimal surgery
- Low local release
- Without systemic antibiotics



**Failure**



**Acquisition  
of resistance and/or  
small colony variants**


# Innovation = local therapy



Antibiotics administered systemically



Antibiotics administered locally with particular carriers (ex. bone substitute)



**DISRUPTIVE  
Strategy**

**Antibiofilm  
agents**

Local administration  
**with carriers**

# Clinical case #2

39-year-old man

**Relapsing *P. aeruginosa* implant-associated infection** despite 'DAIR', and despite implant removal

**Septic nonunion with persistent fully susceptible *P. aeruginosa* infection**

Amputation



**VS.**



Bone resection +  
**innovative way to**  
**treat and rebuild**  
the bone



# Clinical case #2

39-year-old man

**Relapsing *P. aeruginosa* implant-associated infection** despite 'DAIR', and despite implant removal


**Septic nonunion with persistent fully susceptible *P. aeruginosa* infection**

**Multidisciplinary decision:**

**1<sup>st</sup> step:** Bone resection + spacer

**2<sup>nd</sup> step:** Gastrocnemius flap

**3<sup>rd</sup> step:** Osteosynthesis + Bone reconstruction with CERAMENT™ G and CERAMENT™ V + autograft + allograft





# Clinical case #2

39-year-old man

**Relapsing *P. aeruginosa* implant-associated infection** despite 'DAIR', and despite implant removal

**Septic nonunion** with **persistently** fully susceptible *P. aeruginosa* infection




**Multidisciplinary decision:**

**1<sup>st</sup> step:** Bone resection + spacer


**2<sup>nd</sup> step:** Gastrocnemius flap

**3<sup>rd</sup> step:** Osteosynthesis + Bone reconstruction with CERAMENT™ G and CERAMENT™ V + autograft + allograft



# Clinical case #2

CE



Available in the market as a device  
(not as an antibiotic)  
But no clinical studies  
So no reimbursement

**Favorable outcome  
at 3 years**

## Multidisciplinary decision

**1<sup>st</sup> step:** Bone resection + spacer

**2<sup>nd</sup> step:** Gastrocnemius flap

**3<sup>rd</sup> step:** Osteosynthesis + Bone reconstruction with CERAMENT™ G and CERAMENT™ V + autograft + allograft



# CONVICTION clinical trial




Evaluation of the efficiency of the bone substitute **Cerament-G®** locally delivering gentamicin in the treatment of chronic osteomyelitis of long bones: **randomized multicentre study in the CRIOAc network**

**First inclusion  
Q2 2021?**

**T. Ferry PRME 2019**

# CONVICTION clinical trial



Evaluation of the efficiency of the bone substitute **Cerament-G®** locally delivering gentamicin in the treatment of chronic osteomyelitis of long bones: **randomized multicentre study in the CRIOAc network**

**First inclusion  
Q2 2021?**

**T. Ferry PRME 2019**



# CONVICTION clinical trial



Evaluation of the efficiency of the bone substitute **Cerament-G®** locally delivering gentamicin in the treatment of chronic osteomyelitis of long bones: **randomized multicentre study in the CRIOAc network**

T. Ferry PRME 2019


**First inclusion  
Q2 2021?**

# Personalized medicine

Antibiotic-loaded  
PMMA cements

Antibiotic-loaded  
bone substitutes

**ADJUVANT  
INNOVATIVE ANTI-  
INFECTIVE AGENTS**



Bacteriophage-  
derived lysins

New antibiotics  
targeting the biofilm


**OPTIMAL  
SEPTIC  
SURGERY**

**TARGETED AND  
OPTIMAL  
ANTIMICROBIAL  
THERAPY**

**MULTIDISCIPLINAR MEETING**

# What is a « bacteriophage » ?

- Suffix –phage, *phagos* φαγεῖν (*phagein*), "to eat", "to devour"
- Viruses that infect **ONLY** bacteria
- Classification (*myoviridae*, *podoviridae*, etc...)
- A phage is specific to A type of bacteria
- **Largely abundant in the biosphere:  
10<sup>31</sup> bacteriophages on the planet, more than every other organism**
- Especially in marine environment, sea, lake, backwater, soil, animal and human stools, etc.




# Bacteriophage Distributions and Temporal Variability in the Ocean's Interior



2017

Elaine Luo, Frank O. Aylward,\* Daniel R. Mende,  Edward F. DeLong

Daniel K. Inouye Center for Microbial Oceanography: Research and Education, University of Hawaii, Honolulu, Hawaii, USA



# Viro 'sphère'



10 to 100 fold smaller than a bacteria

Translucent tap water



**X million of ≠  
Bactériophage<sub>S</sub> !!!  
(targeting environmental bacteria)**



Pharmaceutical  
preparation

**10<sup>8</sup> of THREE  
bacteriophages/mL  
(targeting *S. aureus*)**

10 to 100 fold smaller than a bacteria

Translucent tap water



**X million of ≠  
BactériophageS !!!**

**(targeting environmental bacteria)**




Pharmaceutical  
preparation

**10<sup>8</sup> of THREE  
bacteriophages/mL  
(targeting *S. aureus*)**

10 to 100 fold smaller than a bacteria

Translucent tap water




Pharmaceutical preparation


$10^8$  of THREE bacteriophages/mL (targeting *S. aureus*)


X million of ≠ BactériophageS !!! (targeting environmental bacteria)





**Environmental viruses  
Target specific bacteria**






## Lytic cycle

Self-maintained bacterial lysis

## Lysogenic cycle

Bacterial genetic remodeling




## Lytic cycle

Self-maintained bacterial lysis


## Lysogenic cycle

Bacterial genetic remodeling



**A clear antibacterial activity!**


***S. aureus* being  
lysed by the  
Sa2 phage**



**Bacterial DNA  
appeared in  
green**

Courtesy Pascal Maguin  
Luciano Marraffini Lab

THE ROCKEFELLER UNIVERSITY



**A clear antibacterial activity!**

# Phagogram

*Phage*

$10^{10}$

$10^9$



$10^8$

$10^7$

$10^6$

$10^5$

PFU/mL



***S. aureus* culture on a gelosis**

**A clear antibacterial activity!**

# Phagogram

*Phage*

$10^{10}$

$10^9$



$10^8$

$10^7$

$10^6$

$10^5$


PFU/mL



***S. aureus* culture on a gelosis**

# Persisters in chronic BJI

**“Bacterial cells that escape the effects of antibiotics without undergoing genetic change”**




Courtesy  
J. Josse



# Persisters in chronic BJI


**“Bacterial cells that escape the effects of antibiotics without undergoing genetic change”**




# Persisters in chronic BJI


**“Bacterial cells that escape the effects of antibiotics without undergoing genetic change”**




**Bacteriophages  
have anti-persister activity**





**vancomycin**






# Eliava Institute (Georgia)



# Cocktails produced in 2020 by the Eliava Institute

- PYO Bacteriophage
- FERSIS Bacteriophage
- STAPHYLOCOCCAL Bacteriophage
- SES Bacteriophage
- INTESTI Bacteriophage
- ENKO Bacteriophage

Bacteriophage ISP (*Myoviridae*)




Merabishvili et al. PloS ONE 2009



T. Ferry

# Not meeting Good Manufacturing Practices (GMP)



**Mass production of bacteriophage in Soviet Union during WWII**

**Pyrogenic Bacterial remnant?**



10<sup>6</sup> phages/mL



**GMP**

Under the supervision of the French Health Authority  
**ansm**  
Agence nationale de sécurité du médicament et des produits de santé

**Purified and produced as a drug**

10<sup>0</sup> phages/mL



Salvage Debridement, Antibiotics and Implant Retention (“DAIR”) With Local Injection of a Selected Cocktail of Bacteriophages: Is It an Option for an Elderly Patient With Relapsing *Staphylococcus aureus* Prosthetic-Joint Infection?

Ferry T. 2018 *Open Forum Infectious Diseases*



**Innovations for the treatment of a complex bone and joint infection due to XDR *Pseudomonas aeruginosa* including local application of a selected cocktail of bacteriophages**

Tristan Ferry ✉, Fabien Boucher, Cindy Fevre, Thomas Perpoint, Joseph Chateau, Charlotte Petitjean, Jérôme Josse, Christian Chidiac, Guillaume L'hostis, Gilles Leboucher, ... [Show more](#)

*Journal of Antimicrobial Chemotherapy*, Volume 73, Issue 10, 1 October 2018, Pages 2901–2903,



# Phage Therapy as Adjuvant to Conservative Surgery and Antibiotics to Salvage Patients With Relapsing *S. aureus* Prosthetic Knee Infection

*Tristan Ferry*<sup>1,2,3,4\*</sup>, *Camille Kolenda*<sup>2,3,4,5</sup>, *Cécile Batailler*<sup>2,3,6</sup>,  
*Claude-Alexandre Gustave*<sup>2,3,4,5</sup>, *Sébastien Lustig*<sup>2,3,6</sup>, *Matthieu Malatray*<sup>3,6</sup>, *Cindy Fevre*<sup>7</sup>,  
*Jérôme Josse*<sup>2,3,4,5</sup>, *Charlotte Petitjean*<sup>7</sup>, *Christian Chidiac*<sup>1,2,3,4</sup>, *Gilles Leboucher*<sup>8</sup> and  
*Frédéric Laurent*<sup>2,3,4,5</sup> on behalf of the Lyon BJI Study group

**#PhagoDAIR**

# Clinical case #3

80-year-old man

**Relapsing MSSA** prosthetic left knee infection (past revision)

**Failure** under **suppressive antimicrobial therapy**

Complex orthopaedic situation with past femoral fracture

Impossible to walk (painful knee)





**Septic  
arthritis**



**Fistula and  
purulent discharge**

# Clinical case #3

Amputation  
(but not feasible ! ) ?



VS.




Doing nothing, but poor clinical situation with risk of complication and death

Conservative surgery  
“Debridement And Implant Retention” (DAIR) +  
innovative approach to disrupt biofilm

+

Suppressive antimicrobial therapy

# Lyon Phage team



Phagogram  
Selection of active bacteriophages

ID Clinic



HCL  
HOSPICES CIVILS  
DE LYON

CRIAOC  
LYON



Surgery



HCL  
HOSPICES CIVILS  
DE LYON



Lab



HCL  
HOSPICES CIVILS  
DE LYON

Under the supervision of

ansm

Agence nationale de sécurité du médicament  
et des produits de santé

French Health Authority

## Active GMP

*S. aureus* Bactériophages



1 mL

Phage A



1 mL

Phage B



1 mL

Phage C

Pharmacy



HCL  
HOSPICES CIVILS  
DE LYON

Extemporaneous  
magistral  
preparation of the  
mix of  
bacteriophages

# Lyon Phage team

ID Clinic



**HCL**  
HOSPICES CIVILS  
DE LYON


**CRIAOC**  
LYON



Surgery



**HCL**  
HOSPICES CIVILS  
DE LYON



Phagogram  
Selection of active bacteriophages

Lab



**HCL**  
HOSPICES CIVILS  
DE LYON



Under the supervision of

**ansm**

Agence nationale de sécurité du médicament  
et des produits de santé

French Health Authority

Pharmacy



**HCL**  
HOSPICES CIVILS  
DE LYON

Extemporaneous  
magistral  
preparation of the  
mix of  
bacteriophages

## Active GMP

*S. aureus* Bactériophages



1 mL

Phage A




1 mL

Phage B



1 mL

Phage C












# “PhagoDAIR”



**One shot peroperative phage application after “DAIR”**





# Clinical case #3

## Post-operative antibiotics:

Daptomycin + Rifampin

## At day 4 (only MSSA in all intraoperative samples):

Levofloxacin + Rifampin

## Then:

Cefalexin as suppressive antimicrobial therapy





**Favorable outcome  
at 2 years**



*“The bacteriophages saved my life, he insists. I never thought one day to walk again. And to say that doctors were talking about cutting my leg off!” R.N.*



**Favorable outcome  
at 1 year**










**Favorable outcome  
at 1 year**



# Arthroscopic “Debridement Antibiotics and Implant Retention” with local injection of **personalized phage therapy** to salvage a relapsing *Pseudomonas aeruginosa* prosthetic knee infection



**Phago  
DAIR**




Submitted  
**30th  
ECCMID**  
Paris, France  
18 –21 April 2020





**Conclusions:** The **PhagoDAIR** procedure by **arthroscopy** has the potential to be used **as salvage therapy** for patients with *P. aeruginosa* relapsing PJI, in combination with suppressive antimicrobial therapy. **A Phase II clinical study deserves to be performed to confirm this hypothesis.**

# The Potential Innovative Use of Bacteriophages Within the DAC<sup>®</sup> Hydrogel to Treat Patients With Knee Megaprosthesis Infection Requiring “Debridement Antibiotics and Implant Retention” and Soft Tissue Coverage as Salvage Therapy

Tristan Ferry<sup>1,2,3,4\*</sup>, Cécile Batailler<sup>2,3,5</sup>, Charlotte Petitjean<sup>6</sup>, Joseph Chateau<sup>7</sup>, Cindy Fevre<sup>6</sup>, Emmanuel Forestier<sup>8</sup>, Sophie Brosset<sup>7</sup>, Gilles Leboucher<sup>9</sup>, Camille Kolenda<sup>2,3,4,10</sup>, Frédéric Laurent<sup>2,3,4,10</sup> and Sébastien Lustig<sup>2,3,5</sup> on behalf of the Lyon BJI Study Group



# Intravenous administration of personalized cocktail of bacteriophages as salvage therapy in combination with ceftazidime/avibactam in patients with relapsing *P. aeruginosa* bacteremia: Lesson learned from two cases



30th  
**ECCMID**

Paris, France  
18–21 April 2020



**Conclusions:** The type of filter used for the magistral preparation and the duration of the perfusion influenced the phage titer, as the titer in the patient's blood. Personalized GMP bacteriophage therapy has the potential to be used as salvage therapy of *P. aeruginosa* intravascular implant infections.

Innovations for the treatment of a complex bone and joint infection due to XDR *Pseudomonas aeruginosa* including local application of a selected cocktail

Tristan  
Jérôme  
Journal

The Potential Innovative Use of



# Case Report: Arthroscopic “Debridement Antibiotics and Implant Retention” With Local Injection of Personalized Phage Therapy to Salvage a Relapsing *Pseudomonas Aeruginosa* Prosthetic Knee Infection



Knee  
ring  
sue

2020

Open Forum

BRIEF

Salvage of  
Implant  
Local Injection  
of Bacteriophage  
in an Elderly Patient with Relapsing  
*Staphylococcus aureus* Prosthetic  
Infection?

Ferry T. 2018

## *S. aureus* Prosthetic Knee Infection

Tristan Ferry<sup>1,2,3,4\*</sup>, Camille Kolenda<sup>2,3,4,5</sup>, Cécile Batailler<sup>2,3,6</sup>,  
Claude-Alexandre Gustave<sup>2,3,4,5</sup>, Sébastien Lustig<sup>2,3,6</sup>, Matthieu Malatray<sup>3,6</sup>, Cindy Fevre<sup>7</sup>,  
Jérôme Josse<sup>2,3,4,5</sup>, Charlotte Petitjean<sup>7</sup>, Christian Chidiac<sup>1,2,3,4</sup>, Gilles Leboucher<sup>8</sup> and  
Frédéric Laurent<sup>2,3,4,5</sup> on behalf of the Lyon BJI Study group

2020




Antibiotics  
salvaging

## Successful Treatment of Antibiotic-resistant, Poly-microbial Bone Infection With Bacteriophages and Antibiotics Combination

Ran Nir-Paz,<sup>1</sup> Daniel Gelman,<sup>2,3</sup> Ayman Khouri,<sup>4</sup> Brittany M. Sisson,<sup>5</sup> Joseph Fackler,<sup>5</sup> Sivan Alkalay-Oren,<sup>2</sup> Leron Khalifa,<sup>2</sup> Amit Rimon,<sup>2,3</sup> Ortal Yerushalmy,<sup>2</sup> Reem Bader,<sup>1</sup> Sharon Amit,<sup>1</sup> Shunit Copenhagen-Glazer,<sup>2</sup> Matthew Henry,<sup>6</sup> Javier Quinones,<sup>6</sup> Francisco Malagon,<sup>6</sup> Biswajit Biswas,<sup>6</sup> Allon E. Moses,<sup>1</sup> Greg Merril,<sup>5</sup> Robert T. Schooley,<sup>7</sup> Michael J. Brownstein,<sup>5</sup> Yoram A. Weil,<sup>4</sup> and Ronen Hazan<sup>2</sup>

<sup>1</sup>Department of Clinical Microbiology and Infectious Diseases, Hadassah-Hebrew University Medical Center, <sup>2</sup>Institute of Dental Sciences, Faculty of Dental Medicine, The Hebrew University, <sup>3</sup>Tzameret, The Military Track of Medicine, The Hebrew University-Hadassah Medical School, and <sup>4</sup>Orthopedic Surgery Department, Hadassah-Hebrew University Medical Center, Jerusalem, Israel; and <sup>5</sup>Adaptive Phage Therapeutics, Gaithersburg, and <sup>6</sup>The Geneva Foundation and Biological Defense Research Directorate Naval Medical Research Center, Frederick, Maryland; and <sup>7</sup>Department of Medicine, Division of Infectious Diseases, University of California San Diego, La Jolla, California



Case Report

## Salvage Bacteriophage Therapy for a Chronic MRSA Prosthetic Joint Infection

James B. Doub<sup>1,\*</sup>, Vincent Y. Ng<sup>2</sup>, Aaron J. Johnson<sup>2</sup>, Magdalena Slomka<sup>1</sup>, Joseph Fackler<sup>3</sup>, Bri'Anna Horne<sup>3</sup>, Michael J. Brownstein<sup>3</sup>, Matthew Henry<sup>4</sup>, Francisco Malagon<sup>4</sup> and Biswajit Biswas<sup>4</sup>

## Phage Therapy for Limb-threatening Prosthetic Knee *Klebsiella pneumoniae* Infection: Case Report and In Vitro Characterization of Anti-biofilm Activity

Edison J. Cano,<sup>1,2</sup> Katherine M. Callisch,<sup>2,3</sup> Paul L. Bollyky,<sup>4</sup> Jonas D. Van Belleghem,<sup>4</sup> Robin Patel,<sup>1,2,5</sup> Joseph Fackler,<sup>6</sup> Michael J. Brownstein,<sup>5</sup> Bri'Anna Horne,<sup>6</sup> Biswajit Biswas,<sup>7</sup> Matthew Henry,<sup>7,8</sup> Francisco Malagon,<sup>7</sup> David G. Lewallen,<sup>9</sup> and Gina A. Suh<sup>1</sup>



**Tristan Ferry Lyon University Hospitals**

@FerryLyon



Today, we treated @CHUdeLyon a 20th patient with ultrasound injection of #bacteriophages for a relapsing prosthetic joint infection due to multidrug-resistant #Pseudomonas aeruginosa! We hypothesize that #phagotherapy can help to control this kind of dramatic infection!



11 51

# PHAGE<sup>in</sup>LYON




## PHAG-one

MINISTÈRE DE L'ENSEIGNEMENT SUPÉRIEUR, DE LA RECHERCHE ET DE L'INNOVATION  
*Liberté  
Égalité  
Fraternité*

AGENCE NATIONALE DE LA RECHERCHE  
**ANR**


Purified academic phages  
Usable in the next 5 years







# Bacteriophage Lysins



**Vincent A Fischetti**  
@microbephage



**Tristan Ferry** Lyon University Hospitals  
@FerryLyon


Incredible talk of Pr. Vincent A. Fischetti [@microbephage](#) @IDWeek2019 about the great potential of [#bacteriophage](#) [#lysins](#) to induce bacterial explosion... and disappearance! It's good to hear that he discovered lysins that are active against [#multidrugresistant](#) [#ESKAPE](#) pathogens!



# Combination Therapy With Lysin CF-301 and Antibiotic Is Superior to Antibiotic Alone for Treating Methicillin-Resistant *Staphylococcus aureus*-Induced Murine Bacteremia

Raymond Schuch,<sup>1</sup> Han M. Lee,<sup>1</sup> Brent C. Schneider,<sup>1</sup> Karen L. Sauve,<sup>1</sup> Christina Law,<sup>1</sup> Babar K. Khan,<sup>1</sup> Jimmy A. Rotolo,<sup>1</sup> Yuki Horiuchi,<sup>1</sup> Daniel E. Couto,<sup>1</sup> Assaf Raz,<sup>2</sup> Vincent A. Fischetti,<sup>2</sup> David B. Huang,<sup>1</sup> Robert C. Nowinski,<sup>1</sup> and Michael Wittekind<sup>1</sup>

<sup>1</sup>ContraFect Corporation, Yonkers, NY, and <sup>2</sup>Department of Bacterial Pathogenesis and Immunology, The Rockefeller University, New York, New York




**CF-301**

# Combination Therapy With Lysin CF-301 and Antibiotic Is Superior to Antibiotic Alone for Treating Methicillin-Resistant *Staphylococcus aureus*-Induced Murine Bacteremia



Raymond Schuch,<sup>1</sup> Han M. Lee,<sup>1</sup> Brent C. Schneider,<sup>1</sup> Karen L. Sauve,<sup>1</sup> Christina Law,<sup>1</sup> Babar K. Khan,<sup>1</sup> Jimmy A. Rotolo,<sup>1</sup> Yuki Horiuchi,<sup>1</sup> Daniel E. Couto,<sup>1</sup> Assaf Raz,<sup>2</sup> Vincent A. Fischetti,<sup>2</sup> David B. Huang,<sup>1</sup> Robert C. Nowinski,<sup>1</sup> and Michael Wittekind<sup>1</sup>

<sup>1</sup>ContraFect Corporation, Yonkers, NY, and <sup>2</sup>Department of Bacterial Pathogenesis and Immunology, The Rockefeller University, New York, New York



# Arthroscopic debridement, antibiotic and implant retention (DAIR) with local administration of Exebacase (Lysin CF-301) (LysinDAIR) followed by suppressive tedizolid as salvage therapy in elderly patients for relapsing multidrug-resistant *Staphylococcus epidermidis* prosthetic knee infection




Paris, France  
18 –21 April 2020

ContraFect



**Conclusions:** Exebacase has the potential to be used as salvage therapy during arthroscopic DAIR in patients with relapsing MDR *S. epidermidis* PKI, to improve the efficacy of suppressive antibiotics, and to avoid considerable loss of function.

# Arthroscopic debridement, antibiotic and implant retention (DAIR) with local administration of Exebacase (Lysin CF-301) (LysinDAIR) followed by suppressive tedizolid as salvage therapy in elderly patients for relapsing multidrug-resistant *Staphylococcus epidermidis* prosthetic knee infection



Paris, France  
18 –21 April 2020



**Conclusions:** Exebacase has the potential to be used as salvage therapy during arthroscopic DAIR in patients with relapsing MDR *S. epidermidis* PKI, to improve the efficacy of suppressive antibiotics, and to avoid considerable loss of function.

# Conclusion



- Creation of regional **reference centers** in France (funded by health ministry) transformed the patient approach
- **Personalized** clinical care is the **base of the pyramid** for the management of complex BJI with **bedside multidisciplinary meeting**
- **ID physicians & pharmacists have potential great roles:**
  - Can help to keep the function!
  - Have to develop and propose **adjuvant personalized innovative anti-infective agents** for selected **relevant indications**
- **Phages** have a **real potential** in prosthetic-joint infection
- Need for **industrial and academic development** of therapeutic phages (discovery, banking, susceptibility testing) in connexion with health care authorities
- Need to **perform clinical trials** to evaluate the ability of these innovations to improve the outcome



# Lyon BJI Study group

**Coordinator: Tristan Ferry**

**Infectious Diseases Specialists** – Tristan Ferry, Florent Valour, Thomas Perpoint, Florence Ader, Sandrine Roux, Claire Triffault-Filit, Agathe Becker, Anne Conrad, Marielle Perry, Cécile Pouderoux, Nicolas Benech, Pierre Chauvelot, Johanna Lippman, Evelyne Braun, Christian Chidiac

**Surgeons – Sébastien Lustig**, Elvire Servien, Cécile Batailler, Stanislas Gunst, Axel Schimdt, Matthieu Malatray, Eliott Sappey-Marinier, Michel-Henry Fessy, Anthony Viste, Jean-Luc Besse, Philippe Chaudier, Lucie Louboutin, Quentin Ode, Adrien Van Haecke, Marcelle Mercier, Vincent Belgaid, Arnaud Walch, Sébastien Martres, Franck Trouillet, Cédric Barrey, Ali Mojallal, Sophie Brosset, Camille Hanriat, Hélène Person

**Microbiologists – Frederic Laurent**, Céline Dupieux, Laetitia Berraud, Camille Kolenda, Jérôme Josse, Tiphaine Roussel-Gaillard

**Nuclear Medicine** – Isabelle Morelec, Marc Janier, Francesco Giammarile

**PK/PD specialists** – Michel Tod, Marie-Claude Gagnieu, Sylvain Goutelle

**Clinical Research Assistant** – Eugénie Mabrut



# Croix-Rousse Hospital







21 et 22 octobre 2021  
à l'ENS Lyon

PRÉSENTIEL  
& VIRTUEL

<http://crioac2021.univ-lyon1.fr>

**5ème Congrès  
national des CRIOAc  
À Lyon**

**Les 21-22 octobre 2021 !**

**Full digital with some sessions in english**

# Lyon BJI Study group

**Coordinator: Tristan Ferry**

**Infectious Diseases Specialists** – Tristan Ferry, Florent Valour, Thomas Perpoint, Florence Ader, Sandrine Roux, Claire Triffault-Filit, Agathe Becker, Anne Conrad, Marielle Perry, Cécile Pouderoux, Nicolas Benech, Pierre Chauvelot, Johanna Lippman, Evelyne Braun, Christian Chidiac

**Surgeons – Sébastien Lustig**, Elvire Servien, Cécile Batailler, Stanislas Gunst, Axel Schimdt, Matthieu Malatray, Elliot Sappey-Marinier, Michel-Henry Fessy, Anthony Viste, Jean-Luc Besse, Philippe Chaudier, Lucie Louboutin, Quentin Ode, Adrien Van Haecke, Marcelle Mercier, Vincent Belgaid, Arnaud Walch, Sébastien Martres, Franck Trouillet, Cédric Barrey, Ali Mojallal, Sophie Brosset, Camille Hanriat, Hélène Person

**Microbiologists – Frederic Laurent**, Céline Dupieux, Laetitia Berraud, Camille Kolenda, Jérôme Josse, Tiphaine Roussel-Gaillard

**Nuclear Medicine** – Isabelle Morelec, Marc Janier, Francesco Giammarile


**PK/PD specialists** – Michel Tod, Marie-Claude Gagnieu, Sylvain Goutelle

**Clinical Research Assistant** – Eugénie Mabrut



<http://www.crioac-lyon.fr>

- Published cases
- Open acces studies in pdf
- All thesis in pdf
- All recommendations
- **Newsletter**



[@CrioacLyon](https://twitter.com/CrioacLyon)

